

# Mythes et réalités sur la musculation

## RÉFÉRENCES

- ARAGON, A.A. et B.J. SCHOENFELD. «Nutrient timing revisited: is there a post-exercise anabolic window? Post-exercise nutrient timing», *Journal of the International Society of Sports Nutrition*, vol. 10, no 5, 2013.
- AUSTRALIAN STRENGTH AND CONDITIONING ASSOCIATION. *Resistance training for children and youth: A position stand from the Australian Strength and Conditioning Association*, [www.strengthandconditioning.org](http://www.strengthandconditioning.org), 2007.
- BAECHLE, T.R. et R.W. EARLE. *Essentials of strength and conditioning*, National Strength and Conditioning Association, Champaign, Il., Human Kinetics, 2008, 641 p.
- BAGATELL, C.J. et W.J. BREMNER. «Androgens in men – uses and abuses», *New England Journal of Medicine*, vol. 334, 1996, p. 707-714.
- BEHM, D.G. et A. CHAOUACHI. «A review of the acute effects of static and dynamic stretching on performance», *European Journal of Applied Physiology*, vol. 111, 2011, p. 2633-2651.
- BELL-WILSON, J.A. «The Buzz About Nutrient Timing», *IDEA Fitness Journal*, 2005, p. 41-45.
- BERNING, J.-M., K.J. ADAMS et B.A. STAMFORD. «Anabolic steroid usage in athletics: Facts, fiction, and public relations», *Journal of Strength and Conditioning Research*, vol. 18, 2004, p. 908-917.

- BHASIN, S., L. WOODHOUSE et T.W. STORER. «Proof of the effect of testosterone on skeletal muscle», *Journal of Endocrinology*, vol. 170, 2001, p. 27-38.
- BIELY, J.-R. «Use of anabolic steroids by athletes. Do the risks outweigh the benefits?», *Postgraduate Medicine*, vol. 82, 1987, p. 71-74.
- BILLAT, V. «Bioénergétiques et activités physiques et sportives», *STAPS (Revue internationale des sciences du sport et de l'éducation physique)*, vol. 54, 2001, p. 23-43.
- BIRCH, K., D. MACLAREN et K. GEORGE. *Sports and Exercise Physiology*, Houston, Tx., BIOS Scientific Publisher, 2004, 230 p.
- BISHOP, D. «Warm Up II: Performance Changes Following Active Warm Up and How to Structure the Warm Up», *Sports Medicine*, vol. 33, n° 6, 2003, p. 483-498.
- BLAIR, S.N., H.W. KOHL III, C.E. BARLOW et coll. «Changes in Physical Fitness and All-Cause Mortality: A Prospective Study of Healthy and Unhealthy Men», *Journal of the American Medical Association*, vol. 273, 1995, p. 1093-1098.
- BLAIR, S.N., H.W. KOHL III, R.S. PAFFENBARGER Jr. et coll. «Physical Fitness and All-Cause Mortality: A Prospective Study of Healthy Men and Women», *Journal of the American Medical Association*, vol. 262, 1989, p. 2395-2401.
- BLOCK, P. et L. KRAVITZ. *Exercise Order in Upper-Body Training*, [www.drLenkravitz.com/Articles/upperbody.html](http://www.drLenkravitz.com/Articles/upperbody.html)
- BOUCHARD, C. et P. BOISVERT. *Quantité d'activité physique requise pour en retirer des bénéfices pour la santé*, Québec, Kino-Québec, 1999, 19 p.
- BRITISH ASSOCIATION OF EXERCISE AND SPORT SCIENCES. «Bases position statement on guidelines for resistance exercise in young people», *Journal of Sport Sciences*, vol. 22, 2004, p. 383-390.
- BUBBICO, A. et L. KRAVITZ. *Eccentric Exercise: A Comprehensive Review of a Distinctive Training Method*, [www.drLenkravitz.com/Articles/eccentric.html](http://www.drLenkravitz.com/Articles/eccentric.html)

- BURD, N.A., D.W. WEST, A.W. STAPLES, P.J. ATHERTON, J.-M. BAKER, D.R. MOORE, A.M. HOLWEIRDA, G. PARISE, M.J. RENNIE, S.K. BAKER et S.M. PHILIPS. «Low-load high volume resistance exercise stimulates muscle protein synthesis more than high-load low volume resistance exercise in young men.», *PLOS One*, vol. 5, n° 8, 2010, p. e12033.
- BURKE, L.M., B. KIENS et J.-L. IVY. «Carbohydrates and fat for training and recovery», *Journal of Sports Sciences*, vol. 22, 2004, p. 15-30.
- CAINE, D., J. DIFIORI et N. PHYSEAL MAFFULLI. «Injuries in children and youth sports: Reason for concern?» *British Journal of Sports Medicine*, n° 40, 2006, p. 749-760.
- CANTIN, M.A. «Les fractures chez les enfants un véritable casse-tête», *Le Médecin du Québec*, vol. 38, n° 4, 2003, p. 1-10.
- CARLI, G., M. BONIFAZI, L. LODI *et al.* «Changes in exercise-induced hormone response to branched chain amino acid administration», *European Journal of Applied Physiology*, n° 64, 1992, p. 272-277.
- CASEY, A. et coll. «Creatine ingestion favorably affects performance and muscle metabolism during maximal exercise in humans», *American Journal of Physiology*, vol. 271, 1996, p. E31-E37.
- CHAMBERS, A. et L. KRAVITZ. «Nutrient Timing: The New Frontier in Fitness Performance», 2009, [www.drIenkravitz.com/articles/nutrientDLK.html](http://www.drIenkravitz.com/articles/nutrientDLK.html)
- CHEUNG, K., P. HUME et L. MAXWELL. «Delayed onset muscle soreness: treatment strategies and performance factors», *Sports Medicine*, vol. 33, n° 2, 2003, p. 145-164.
- CLARK, D., M. LAMBERT et A. HUNTER. «Muscle Activation in the Loaded Free Barbell Squat: A Brief Review», *Journal of Strength and Conditioning Research*, vol. 26, n° 4, 2012, p 1169-1178.
- COMETTI, G. *Les limites du stretching pour la performance sportive*, Faculté des Sciences du sport - UFR STAPS, Dijon, 14 p.

CrossFit: [www.crossfit.com](http://www.crossfit.com)

ERNST, E. « Does post-exercise massage treatment reduce delayed onset muscle soreness? A systematic review », *British Journal of Sports Medicine*, vol. 32, 1998, p. 212-214.

FAIGENBAUM, A., W. KRAEMER, C. BLIMKIE, *et al.* « Youth resistance training: Updated position statement paper from the National Strength and Conditioning Association », *Journal of Strength and Conditioning Research*, vol. 23, Suppl. 5, 2009, p. S60-S79.

FAIGENBAUM, A. et W. WESTCOTT. *Youth Strength Training*, Champaign, IL, Human Kinetics, 2009.

FITZGERALD, SHANNON J., C. E. BARLOW, J.-B. KAMPERT et J. R. MORROW. « Muscular Fitness and All-Cause Mortality: Prospective Observations », *Journal of Physical Activity and Health*, vol. 1, n° 1 2004, p. 7-18.

FOUGERESFORCE. *Force athlétique et technique*, Document PDF, 2010, 35 p.

GARLICK, P.J. et I. GRANT. « Amino acid infusion increases the sensitivity of muscle protein synthesis in vivo to insulin », *Biochemistry Journal*, n° 254, 1988, p. 579-584.

GIBALA, M.J. « Nutritional supplementation and resistance exercise: what is the evidence for enhanced skeletal muscle hypertrophy », *Canadian Journal of Applied Physiology*, vol. 25, n° 6, 2000, p. 524-535.

GUISSARD, N. « L'étirement musculaire: mise au point », *Revue de l'Éducation Physique*, vol. 47, n° 3, 2007, p. 66-70.

HAFF, G.G., A.J. KOCK, J.A. POTTEIGER, K.E. KUPHA, L.M. MAGEE, S.B. GREEN et J.J. JAKICIC. *International Journal of Sport Nutrition and Exercise Metabolism*, vol. 10, 2000, p. 326-339.

HAFF, G. G. « Roundtable Discussion: Flexibility Training », *Strength and Conditioning Journal*, vol. 28, n° 2, p. 64-85.

HARRIS, R.C., *et coll.* « Elevation of creatine in resting and exercised muscle of normal subjects by creatine supplementation », *Clinical Science*, vol. 83, 1992, p. 367-374.

- HARVEY, J.-F. *L'entraînement spinal*, Montréal, Les Éditions de l'Homme, 2011, 240 p.
- HERBENICKA, D. et J. D. FORTENBERRY. «Exercise-induced orgasm and pleasure among women», *Sexual and Relationship Therapy*, vol. 26, n° 4, 2011.
- HOFFMAN, J.-R. et N.A. RATAMESS. «Medical issues associated with anabolic steroid use: are they exaggerated?» *Journal of Sports Science and Medicine*, vol. 5, 2006, p. 182-193.
- HOFFMAN, J.-R. *Physiological aspects of sport training and performance*, Champaign, IL., Human Kinetics, 2002, p. 15-26.
- HUBAL, M.J., H. GORDISH-DRESSMAN, P.D. THOMPSON, T.B. PRICE, E.P. HOFFMAN, T.J. ANGELOPOULOS, P.M. GORDON, N.M. MOYNA, L.S. PESCATELLO, P.S. VISICH, R.F. ZOELLER, R. L SEIP et P.M. CLARKSON. «Variability in muscle size and strength gain after unilateral resistance training», *Medicine Science and Sports Exercise*, vol. 37, 2005, p. 964-972.
- HULTMAN, E. et coll. «Muscle creatine loading in men», *Journal of Applied Physiology*, vol. 81, 1996, p. 232-237.
- IVY, J. et R. PORTMAN. *Nutrient timing: The future of sports nutrition*, California, Basic Health Publications, 2004.
- JENKINS, M.A. *Creatine Supplementation in Athletes*, [www.rice.edu/jenky/sports/creatine.html](http://www.rice.edu/jenky/sports/creatine.html)
- JONES, P.D. *et al.* «Potential Ergogenic Effects of Arginine and Creatine Supplementation», *Journal of nutrition*, vol. 134, n° 10, 2004, p. 2888s-2894s.
- JUHN, M.S. et M. TARNOPOLSKY. «Potential side effects of oral creatine supplementation: A critical review», *Clinical Journal of Sport Medicine*, vol. 8, 1998, p. 298-304.
- KÄRKI, A., H. ANTTILA, T. TASMUTH et U. RAUTAKORPI. «Therapy in breast cancer patients - a systematic review on effectiveness and a survey of current practices and costs in Finland», vol. 48, n° 6, 2009, p. 850-859.

- KEELER, L.K., L.H. FINKELSTEIN, W. MILLER et B. FERNHALL. « Early-phase adaptations of traditional-speed vs. superslow resistance training on strength and aerobic capacity in sedentary individuals, *Journal of Strength and Conditioning Research*, vol. 15, n° 3, 2001, p. 309-314.
- KLINGE, K., S.P. MAGNUSSON, E.B. SIMONSEN et coll. « The effect of strength and flexibility training on skeletal muscle electromyographic activity, stiffness and viscoelastic stress relaxation response », *The American Journal of Sports Medicine*, vol. 25, n° 5, 1997, p. 710-716.
- KOH, T.J. *Physiological and mechanisms of skeletal muscle damage*, dans Tiidus, P.M. *Skeletal Muscle Damage and Repair*, Champaign, Il., Human Kinetics, 2007.
- Kravitz, L. et R. Andrews. « Fitness and Low Back Pain », <http://www.unm.edu/lkravitz/Article%20folder/lowback.html>
- KREIDER, R.B. « Dietary supplements and the promotion of muscle growth with resistance training », *Sports Medicine* n° 27, 1999, p. 97-110.
- LAW, R.Y.W. et R.D. HERBERT. « Warm-up reduces delayed-onset muscle soreness but cool-down does not: a randomised controlled trial », *Australian Journal of Physiotherapy*, vol. 53, 2007, p. 91-95.
- LIU-AMBROSE, Teresa, L. S. NAGAMATSU, P. GRAF, B. L. BEATTIE et C. MAUREEN. « Resistance Training and Executive Functions. A 12-Month Randomized Controlled Trial », *Archives of Internal Medicine*, vol. 170, n° 2, 2010, p. 170-178.
- MAHONEY, D.J. et M.A. TARNOPOLSKY. « Emerging molecular trends in muscle damage research », dans Tiidus P.M. *Skeletal Muscle Damage and Repair*, Champaign, Il., Human Kinetics, 2007.
- MAQUAIRE, P. « La place des étirements dans l'échauffement en EPS. Ambivalence et controverses dans une approche préventive des blessures », *Sciences et techniques des activités physiques et sportives (STAPS)*, vol. 76, 2007, p. 31-49.

- MARIEB, E.N. Anatomie et physiologie humaines, Saint-Laurent, Pearson, 2005, 1288 p.
- MAUGHAN, R. «Creatine supplementation and exercise performance», *International Journal of Sport Nutrition*, vol. 5, 1999, p. 94-101.
- MCARDLE, W.D., F. KATCH et V. KATCH. *Nutrition et performances sportives*, Bruxelles, De Boeck, 2004, 407 p.
- MCARDLE, W.D., F. KATCH et V. KATCH. *Physiologie de l'activité physique*, 4<sup>e</sup> édition, Montréal, Maloine/Edisem, 2001, 711 p.
- MCGILL, S.M. «Low Back Stability: From Formal Description to Issues for Performance and Rehabilitation», *Exercise and Sport Science Reviews*, vol. 29, 2001, p. 26-31.
- METTER E., JEFFREY, L.A. TALBOT, M. SCHRAGER et R. CONWIT. «Skeletal Muscle Strength as a Predictor of All-Cause Mortality in Healthy Men», *Journal of Gerontology and Biology Science*, vol. 57, n° 10, 2002, p. B359-B365.
- MICHELL, L., R. GLASSMAN et M. KLEIN. «The prevention of sports injuries in children», *Clinics in Sports Medicine*, vol. 19, n° 4, 2000, p. 821-834.
- MITCHELL, C.J., T.A. CHURCHWARD-VENNE, D.W. WEST, N.A. BURD, L. BREEN, S.K. BAKER et S.M. PHILIPS. «Resistance exercise load does not determine training-mediated hypertrophic gains in young men», *Journal of Applied Physiology*, 2012.
- MYER, G. et E. WALL. «Resistance training in the young athlete», *Operative Techniques in Sports Medicine*, 2006, n° 14, p. 218-230.
- NELSON, A.G., J. KOKKONEN, C. ELDREDGE, A. CORNWELL et E. GLICKMAN-WEISS. «Chronic stretching and running economy», *Scandinavian Journal of Medicine and Science in Sports*, vol. 11, n° 5, 2002, 260-265.
- NOSAKA, K. *Muscle soreness and damage and the repeated-bout effect*, dans Tiidus, P.M. *Skeletal Muscle Damage and Repair*, Champaign, Il., Human Kinetics, 2007.

- PARSONS, D. «Facts about fat burners», International Sport Science Association's Fitness Symposium, 2011, <http://www.protraineronline.com/nutrition/facts-about-fat-burners>
- PARSSINEN, M. et T. SEPPALA. «Steroid use and long-term health risks in former athletes», *Sports Medicine*, vol. 32, 2002, p. 83-94.
- PERRY, P.J., B.C. LUND, M.J. DENINGER, E.C. KUTSCHER et J. SCHNEIDER. «Anabolic steroid use in weightlifters and bodybuilders. An internet survey of drug utilization», *Clinical Journal of Sport Medicine*, octobre 2005.
- PETRELLA, J.K., J. S. KIM, D.L. MAYHEW, J.-M. CROSS et M.M. BAMMAN. «Potent myofiber hypertrophy during resistance training in humans is associated with satellite cell-mediated myonuclear addition: a cluster analysis», *Journal of Applied Physiology*, vol. 104, 2008, p. 1736-1742.
- POORTMANS, J.-R. et M. FRANCAUX. «Long-term oral creatine supplementation does not impair renal function in healthy athletes», *Medicine and Science of Sports and Exercise*, vol. 31, 1999, p. 1108-1110.
- POORTMANS, J.-R. et N. BOISSEAU. *Biochimie des activités physiques, 2<sup>e</sup> édition*, Bruxelles, De Boeck, 2003, 480 p.
- POORTMANS, J.-R. et Y.A. CARPENTIER. «Sarcopénie, vieillissement et exercice», *Science et Sports*, vol. 24, n° 2, 2009, p. 74-78.
- REILLY, T. et B. EKBLOM. «The use of recovery methods post-exercise», *Journal of Sports Sciences*, vol. 23, n° 6, 2005, p. 619-627.
- RENNIE, M.J., L. TADROS, S. KHOGALI *et al.* «Glutamine transport and its metabolic effects», *Journal of Nutrition*, n° 124, 1994, p.1503S-1508S.
- SAUNDERS, P.U., D.B. PYNE, R.D. TELFORD et J. A. HAWLEY. «Factors Affecting Running Economy in Trained Distance Runners», *Sports Medicine*, vol. 34, n° 7, 2004, p. 465-485.
- SCHOENFELD, B. «The mechanisms of muscle hypertrophy and their application to resistance training», *Journal of Strength and Conditioning Research*, vol. 24, n° 10, 2010, p. 2857-2872.



- SCHOENFELD, B. «The Use of Specialized Training Techniques to Maximize Muscle Hypertrophy», *Strength and Conditioning Journal*, vol. 33, n° 4, 2011, p. 60-65.
- SHRIER, I. «Does stretching improve performance? A systematic and critical review of the literature», *Clinical journal of sport medicine*, vol. 14, n° 5, 2004, p. 267-273.
- SHRIER, I. «Stretching Before Exercise Does Not Reduce the Risk of Local Muscle Injury: A Critical Review of the Clinical and Basic Science Literature», *Clinical Journal of Sport Medicine*, vol. 9, n° 4, 1999, p. 221-227.
- SIMAO, R., P.D.T.V. FARINATTI, M.D. POLITO et A.S. MAJOR. «Influence of exercise order on the number of repetitions performed and perceived exertion during resistance exercise», *Journal of Strength and Conditioning Research*, vol. 19, n° 1, 2005, p. 152-156.
- STAMLER, J.S. et G. MEISSNER. «Physiology of nitric oxide in skeletal muscle», *Physiological Reviews*, vol. 81, n° 1, 2001, p. 209-237.
- STKREN, K., J. HELGERUD, E. M. STKA et J. HOFF. «Maximal Strength Training Improves Running Economy in Distance Runners», *Medicine Science Sports and Exercise*, vol. 40, n° 6, 2008, p. 1089-1094.
- STONE, M.H., D. COLLINS, S. PLISK et coll. «Training Principles: Evaluation of Modes and Methods of Resistance Training», *Strength and Conditioning Journal*, vol. 22, n° 3, 2000, p. 79-103.
- TERJUNG et coll. «American College of Sports Medicine roundtable. The physiological and health effects of oral creatine supplementation», *Medicine and Science of Sports and Exercise*, vol. 32, 2000, p. 706-717.
- THACKER, S. B., J. GILCHRIST, D. F. STROUP et C.D. KIMSEY JR. «The Impact of Stretching on Sports Injury Risk: A Systematic Review of the Literature», *Medicine and Science in Sports and Exercise*, vol. 36, n° 3, 2004, p. 371-378.
- UNIVERSITÉ MÉDICALE VIRTUELLE FRANCOPHONE. *Utilisation des substrats énergétiques*, Collège des Enseignants de Nutrition, 2010-2011, 14 p.

- VANDENBERGHE, K. et coll. « Long-term creatine intake is beneficial to muscle performance during resistance training », *Journal of Applied Physiology*, vol. 83, 1997, p. 2055-2063.
- VOLEK, J.S. « Influence of Nutrition on Response to Resistance Training », *Medicine and Science in Sports and Exercise*, vol. 36, n° 4, p. 689-696.
- WARBURTON, D., N. GLEDHUL et A. QUINNEY. « Musculoskeletal Fitness and Health », *Canadian Journal of Applied Physiology*, vol. 26, n° 2, 2001, p. 217-237.
- WARBURTON, D., N. GLEDHUL et A. QUINNEY. « The effects of changes in musculoskeletal fitness on health », *Canadian Journal of Applied Physiology*, vol. 26, n° 2, 2001, p. 161-216.
- WEINECK, J. *Manuel d'entraînement*, 4<sup>e</sup> édition, Paris, Vigot, coll. Sport + Enseignement, 1997, 577 p.
- WILBORN, C.D., L.W. TAYLOR, M. GREENWOOD, R.B. KREIDER et D.S. WILLOUGHBY. « Effects of different intensities of resistance exercise on regulators of myogenesis », *Journal of Strength and Conditioning Research*, vol. 23, n° 8, 2009, p. 2179-2187.
- WILMORE, J.H. et D.L. COSTILL. *Physiology of Sport and Exercise*, 4<sup>e</sup> édition, Bruxelles, De Boeck, 2008, 736 p.
- YESALIS, C.E., S. P. COURSON et J. WRIGHT. « History of anabolic steroid use in sport and exercise » dans Yesalis, C.E. *Anabolic steroids in sport and exercise*, 2<sup>e</sup> édition, Champaign, IL., Human Kinetics, 2000, p. 51-71.
- ZATSORSKY V. M. et W.J. KRAEMER. *Science And Practice of Strength Training*, Champaign, IL., Human Kinetics, 2006, 252 p.